



TRIPLE TAILGATE LIGHT BAR (2PC)

- INSTALLATION GUIDE -


WHAT'S INCLUDED



1X Triple Redline LED Bar with a Plastic Aligner



2X Heat Shrinkable Wiring Connector




4X Mounting Clips



1X Adhesive Booster




INSTALLATION




STEP1

Test the Redline LED Bar for functionality before mounting it on the vehicle.




STEP2

Remove the tailgate from the vehicle to prep the area.



STEP3

Thoroughly clean the area where the Redline LED Bar will be mounted.



STEP4

For optimal installation of the Redline LED Bar, carefully plan and mark the desired bracket mounting locations, considering placement to ensure a straight application.


OPTION 1

STEP5

Securely mount the Redline LED Bar to your vehicle using the provided screws and clips to ensure a solid installation.



INSTALLATION



STEP4

Apply the Adhesive Promoter to the cleaned area.

OPTION 2

STEP5


In order to install the light bar smoothly, we recommend you to operate at a flat surface.

- 1. Install the plastic aligner on the light bar and make sure, the plastic aligner is able to slide through the whole bar.
- 2. Align both sides of the light bar to match each other and avoid squeezing the wires, slide the plastic aligner to the middle of the light bar carefully.
- 3. When the two light bars are connected together through the plastic aligner, remove the double side tape.
- 4. Align the light bar to the location you wish to install and tape it.

INSTALLATION




Plug the 4-pin flat connector into the add-on Easy Connect harness. *Check Page 5.



STEP7

Splice the white reverse wire from the Redline LED Bar to the white wire on the harness, securing the connection with the provided heat-shrinkable connector.



STEP8

Test the Redline LED Bar again for function.



HOW TO CONNECT TO YOUR VEHICLE?


The diagrams are the recommend installation method for the Redline Triple Tailgate Light Bar. Please confirm the year model and make of your vehicle before installing.

Feel free to contact us using the link below for product inquiries or installation support. OPT7 Support Team: https://www.opt-7.com/pages/customer-support


Notice: Redline Adapter Connectors are sold separately. Please refer to the following links


https://www.opt-7.com/collections/truck-redline-tailgate-led-light-bars

OPT7 Easy Connect USCAR 7 Pin to 4 Pin Harness with Reverse Wire



2019~2021 Silverado/Sierra 1500 (6PIN)








2021~2023 F150

XL, XLT







2015~2020 F150 (16PIN)

ALL MODELS

WITH BLIS/BACKUP CAMERA/ASSIST SENSOR









2018~2020 F150 (6PIN)


XL, XLT, LARIAT
NO BLIS/BACKUP CAMERA/ASSIST SENSOR






2015~2018 F150 (3PIN)

XL, XLT, LARIAT
NO BLIS/BACKUP CAMERA/ASSIST SENSOR









OPT7 Redline 4.9ft Hardwire Harness


For Tailgate Light Bars (7 Wiring Connectors Included)






HARD WIRING

If hard-wiring, use image below to identify wire color functions and pair them to appropriately identified wires on vehicle.





WHERE TO CONNECT THE REVERSE SIGNAL?

Splice the white wire coming from the Redline LED Bar to the factory tail light and use the heat shrinkable wiring connector we provided.

DISCLAIMER

OPT7 Lighting is not liable for damages, injuries, or death while installing this product. The Installation Guide is intended as assistance to reduce setup time. OPT7 Lighting assumes no responsibility for improper installation. If you are unfamiliar with your vehicle or inexperienced with aftermarket upgrades, please seek professional assistance.



