AURA™ DOUBLE ROW INTERIOR 6PC INSTALLATION GUIDE

MAIN COMPONENTS



OPT7

INSTALLATION



As shown below, connect all light strips to the control box with the included extension cables.

WARNING

STEP 1

Decide where to locate the light strips and ensure wiring has enough length for control box to be installed in desired location.





1. Connecting to more than 10 AMP will override the kit and cause early failure, ensure it is 10AMPs or less!!

2. Please ensure that the LED bars or strips/control box/wiring all are mounted in areas where will not exceed 85° C or 185° F.

Once connected, plug the control box Cigarette Power Adapter into an available 12 volt charging port.



| _ |

INSTALLATION





STEP 2

Secure Control box in desired location with Velcro or zip ties.

* CONTROL BOX NOT WATERPROOF Ensure the control box is safely and securely hidden from exposing elements of moisture.

STEP 3

Thoroughly clean the surface where you plan on mounting the LED strip with rubbing / isopropyl alcohol. (This part is essential for a rm and long lasting placement.

A dirty surface will prevent the strip from attaching firmly. Peal the double-sided tape and firmly press the LED strip to the mounting area and hold for 3 seconds. Then, use the zip-ties to tie all the wirings away from all moving components.



STEP 4

Using the included 21Key E-Z Remote, select your desired color or pattern.

(Note: When you use this product, keep it within 10m/33ft as much as possible)





DISCLAIMER

OPT7 Lighting is not liable for damages or personal injuries while installing this product. The Installation Guide is intended as assistance to reduce setup time. OPT7 Lighting assumes no responsibility for improper installation. If you are unfamiliar with your vehicle or inexperienced with aftermarket upgrades, please seek professional assistance.

OPT7 recommends installation for safety and guidance.

Modified installations or installation recommendations not specified by OPT7 Lighting will void product warranty.

